



Bosch Greentherm 9000 Series

The Bosch Greentherm 9000 Series brings homeowners more than endless hot water. It saves time, money, space and unnecessary stress. From its gorgeous exterior to the sophisticated technology on the inside, Bosch Greentherm water heaters are designed to impress. They deliver ultra efficient endless hot water and has features never seen on a water heater before.

Features

- Space-saving, state-of-the-art tankless design
- ► Ultra efficient with UEF ratings up to 0.96
- Auto-tuning for optimal performance
- ► High resolution color LCD interface
- ► Wi-Fi accessory & App increases functionality
- ► Ability to control external pumps
- Industry leading 22:1 turn down ratio
- ► 60ft venting using 2" pipe
- ▶ Ultra Low NOx Certified
- ► Integrated freeze protection
- Stainless Steel condensing heat exchanger



T9800 SE Outdoor

Designed for outdoor conditions

No vent pipes necessary

Included LP conversion kit

T9800/9900 SE Indoor

Top water connections for easy tank replacement

Integrated flush ports

Included LP conversion kit

T9900i SE Indoor

All the benefits of the T9800/9900 + Built-in WiFi


Recirculation pump on-board

Durable glass front cover

Designed For An Easy Install

Built For Comfort Inside & Out

With top water connections, a built-in recirculation pump, WiFi, auto-tuning, and a sleek design, the Greentherm 9000 Series is designed for ultimate ease of intsallation and use.



T					tu	е			

Greentherm 9000 Series										
Technical	Specifications	T9900i SE 199	T9900 SE 199	T9900 SE 160	T9800 SE 199	T9800 SE 160	T9800 SEO 199	T9800 SEO 160		
Part Numb	er	7736503732	7736503731	7736503730	7736503581	7736503725	7736503727	7736503726		
NG Min-Ma	x Input (kBTU)	9-199	9-199	9-160	9-199	9-160	9-199	9-160		
Uniform En	ergy Factor	0.96	0.96	0.92	0.96	0.92	0.96	0.92		
Dimension (WxHxD)		18 ^{9/16} " x 31 ^{1/2} " x 9 ^{13/16} "								
Temperatu	re Range	100-140 °F								
Temperatu	re Stability	+/-2 °F								
Max Flow F	Max Flow Rate at 35°F (GPM)		2	9	11.2	9	11.2	9		
Activation	Water Flow Rate	0.45 GPM								
Required NG Pressure		3.5" - 10.5"								
Required LPG Pressure										
Recirculation	on Pump	1	1	✓	-	-	-	-		
Electrical Requirements		120 VAC 60Hz								
Noise Leve	I	<57 dB								
Max Flue	Twin Pipe	2": 60ft + 60ft; 3": 280ft + 280ft								
Length	Concentric Pipe	2"/4": 60ft; 3"/5": 280ft								

Wi-Fi Connection

The Greentherm 9000 app allows you to remotely control the water temp, activate the recirculation pump, and monitor usage and sensor values.



About Bosch

Bosch Group

The Bosch Group is a leading global supplier of technology and services in the areas of Automotive, Industrial Technology, Consumer Goods and Building Technology. The company was founded in Stuttgart, Germany, in 1886 and presently has more than 440 subsidiaries and is represented in over 150 countries.

In the U.S., Canada and Mexico, the Bosch Group manufactures and markets automotive original equipment and aftermarket solutions, industrial drives and control technology, power tools, security and communication systems, packaging technology, thermotechnology, household appliances and software solutions. The Bosch Group's products and services are designed to improving quality of life by providing innovative and beneficial solutions. In this way, the company offers technology worldwide that is "Invented for life." Additional information is available online at boschheatingandcooling.com and bosch.ca.

Bosch Thermotechnology in North America

Bosch Thermotechnology is a leading source of high quality water heating and comfort systems. The company offers gas tankless, electric whole house and point-of-use water heaters, Bosch and Buderus floor-standing and wall mounted boilers, Bosch and FHP geothermal, water-source and air-source systems as well as controls and accessories for all product lines. Bosch Thermotechnology is committed to being Simply Smart by offering products that work together as integrated systems that enhance quality of life in an ultra-efficient and environmentally friendly manner. For more information, visit boschheatingandcooling.com.



Watertown, MA • Londonderry, NH • Ft. Lauderdale, FL General Inquiries: 1-866-642-3198



Copyright © 2022 Bosch Thermotechnology Corp. All rights reserved. Subject to change without notice.